

DECLARATION OF PERFORMANCE

No. 05 T profiles

1. PRODUCT TYPE:

T 3.01 (Class A1 Substructure components - type 1)

2. PRODUCT IDENTIFICATION:

Bandrafter; DGS; Interlude; Microline; Prelude 15; Prelude 24; Prelude 24 CR; Prelude 35; Prelude Sixty2; Silhouette;
[Main runners; Cross tees; Perimeter trims; Accessories]

3. INTENDED USE(S) OF THE CONSTRUCTION PRODUCT:

Suspended ceiling substructure component for internal use

4. NAME AND ADDRESS OF THE MANUFACTURER:

Troldtekt A/S
Sletvej 2A
DK-8310 Tranbjerg

5. NAME AND ADDRESS OF THE AUTHORISED REPRESENTATIVE:

- not applicable -

6. SYSTEM OR SYSTEMS FOR ASSESSMENT AND VERIFICATION OF CONSTANCY OF PERFORMANCE OF THE PRODUCT (AVCP):

Reaction to fire: AVCP System 3
Loadbearing Capacity: AVCP System 3
Durability: AVCP System 4

7. NOTIFIED BODY, IF RELEVANT:

EN 13964:2004 + A1:2006

Reaction to Fire: Warrington Certification Ltd (1121) performed determination of the product type on the basis of type testing and type calculation, under system 3 and issued test/calculation reports.

Loadbearing capacity: MPA Dortmund (0432) & ITB, Warszawa (1488) performed determination of the product type on the basis of type testing and type calculation, under system 3 and issued test/calculation reports.

8. EUROPEAN TECHNICAL ASSESSMENT ETAG:

- not applicable -

9. DECLARED PERFORMANCE:

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1	EN 13964:2004 + A1:2006
Durability	B	
Durability (Prelude 24 CR)	C	
Loadbearing Capacity	See producers information	

10. THE PERFORMANCE OF THE PRODUCT IDENTIFIED IN POINTS 1 AND 2 IS IN CONFORMITY WITH THE DECLARED PERFORMANCE IN POINT 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.
Signed for and on behalf of the manufacturer by:



Peer Leth
CEO
Tranbjerg, August 2015